



Code	Task/Skill Name	Required	Start Date	Regualification Interval
01	CT01 - Inspecting for Shorted Casings		01/01/2016	
NGA-WE-01	NGA-WE-01-Inspecting for Shorted Casings	Required		36 months
02A	CT02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)		01/23/2017	
NGA-WE-02A	NGA-WE-02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)	Required		36 months
02B	CT02B-Measuring Pipe-To-Soil Potential (Measuring Only)		01/23/2017	
NGA-WE-02B	NGA-WE-02B-Measuring Pipe-To-Soil Potential (Measuring Only)	Required		36 months
03	CT03-Conduct a Soil Resistivity Survey		01/23/2017	
NGA-WE-03	NGA-WE-03-Conduct a Soil Resistivity Survey	Required		36 months
04A	CT04A-Conducting Interference Testing and Remediation		01/23/2017	
NGA-WE-04A	NGA-WE-04A-Conducting Interference Testing and Remediation	Required		36 months
04B	CT04B-Conducting Interference Testing		01/23/2017	
NGA-WE-04B	NGA-WE-04B-Conducting Interference Testing	Required		36 months
05A	CT05A-Electrically Checking for Proper Performance of Diodes and Interference Bonds, Including Testing for A/C Mitigation		01/23/2017	
NGA-WE-05A	NGA-WE-05A-Electrically Checking for Proper Performance of Diodes and Interference Bonds, Including Testing for A/C Mitigation	Required		36 months
05B	CT05B-Electrically Checking for Proper Performance of Diodes and Interference Bonds		01/23/2017	
NGA-WE-05B	NGA-WE-05B-Electrically Checking for Proper Performance of Diodes and Interference Bonds	Required		36 months
06A	CT06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation		01/23/2017	
NGA-WE-06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Required		36 months
06B	CT06B-Inspecting for Atmospheric Corrosion		01/23/2017	
NGA-WE-06B	NGA-WE-06B-Inspecting for Atmospheric Corrosion	Required		36 months
07A/13A	CT07A & 13A-Installing, Replacing and Ensuring Operation of a Rectifier on a Pipeline (Installing, Replacing and Troubleshooting)		01/23/2017	
NGA-WE-07A/13A	NGA-WE-07A & 13A-Installing, Replacing and Ensuring Operation of a Rectifier on a Pipeline (Installing, Replacing and Troubleshooting)	Required		36 months
07B/13B	CT07B & CT13B-Installing, Replacing and Ensuring Operation of a Rectifier on a Pipeline (Installing and Replacing Only)		01/23/2017	
NGA-WE-07B/13B	NGA-WE-07B & 13B- Installing, Replacing and Ensuring Operation of a Rectifier on a Pipeline (Installing and Replacing Only)	Required		36 months
08	CT08--Visually Inspecting for Internal Corrosion		01/23/2017	
NGA-WE-08	NGA-WE-08-Visually Inspecting for Internal Corrosion	Required		36 months
09	CT09-Removing Coupons/Sample Gas or Liquids for Analysis and Evaluation of Internal Corrosion		11/04/2016	
NGA-WE-09	NGA-WE-09-Internal Corrosion Coupon and Fluids/Solids Testing	Required		36 months
10	CT10-Clear a shorted casing		01/23/2017	
NGA-WE-10	NGA-WE-10-Clearing a Shorted Casing	Required		36 months
11B/12B/17B	CT11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)		01/01/2016	
NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Required		36 months

Code	Task/Skill Name	Required	Start Date	Requalification Interval
NGA-WE-11B/12B/17B	NGA-WE-11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	Required		36 months
11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)		01/23/2017	
NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Required		36 months
NGA-WE-11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Required		36 months
11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)		01/23/2017	
NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Required		36 months
NGA-WE-11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	Required		36 months
11E/12E/17E	CT11E, 12E & 17E-Pipe Coatings (Mastic)		01/23/2017	
NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Required		36 months
NGA-WE-11E/12E/17E	NGA-WE-11E, 12E & 17E-Pipe Coatings (Mastic)	Required		36 months
11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)		01/23/2017	
NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Required		36 months
NGA-WE-11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Required		36 months
11G/12G/17G	CT11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)		01/23/2017	
NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Required		36 months
NGA-WE-11G/12G/17G	NGA-WE-11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	Required		36 months
11H/12H/17H	CT11H, 12H & 17H-Pipe Coatings (Paint)		01/23/2017	
NGA-WE-11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	Required		36 months
14A	CT14A - Installing/Replacing an Anode on a Pipeline including Exothermic Welding		01/01/2016	
NGA-PE-14/16	NGA-PE-14/16-Exothermic Welding	Required		36 months
NGA-WE-14	NGA-WE-14-Installing/Replacing an Anode	Required		36 months
14B	CT14B - Installing/Replacing an Anode on a Pipeline		05/14/2018	
NGA-WE-14	NGA-WE-14-Installing/Replacing an Anode	Required		36 months
15A	CT15A-Installing, Replacing and Testing Electrical Isolation Couplings		01/23/2017	
NGA-WE-15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	Required		36 months
15B	CT15B-Installing and Replacing Electrical Isolation Couplings		01/23/2017	
NGA-WE-15B	NGA-WE-15B-Installing and Replacing Electrical Isolation Couplings	Required		36 months
16A	CT16A - Installing or Replacing a Corrosion Test Station on a Pipeline including Exothermic Welding		05/14/2018	
NGA-PE-14/16	NGA-PE-14/16-Exothermic Welding	Required		36 months
NGA-WE-16	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	Required		36 months
16B	CT16B - Installing or Replacing a Corrosion Test Station on a Pipeline		05/14/2018	
NGA-WE-16	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	Required		36 months

Code	Task/Skill Name	Required	Start Date	Regualification Interval
18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)		11/01/2017	
NGA-PE-18.1	NGA-PE-18.1-Leak Survey	Required		36 months
NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	Required		36 months
18B	CT18B Conducting Gas Leakage Surveys (Walking Surveys Only)		11/01/2017	
NGA-PE-18.1	NGA-PE-18.1-Leak Survey	Required		36 months
NGA-WE-CT18B	NGA-WE-CT18B-Conducting Gas Leakage Survey (Walking Surveys Only)	Required		36 months
19A	CT19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains		06/28/2017	
NGA-WE-19A	NGA-WE-19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains	Required		36 months
19B	CT19B-Patrolling - Inspecting Right of Ways and Pipeline Markers		06/28/2017	
NGA-WE-19B	NGA-WE-19B-Patrolling - Inspecting Right of Ways and Pipeline Markers	Required		36 months
20A	CT20A-Investigating Leak or Odor Complaints (Inside and Outside)		01/10/2017	
NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	Required		36 months
20B	CT20B-Investigating Leak or Odor Complaints (Outside Investigation Only)		01/10/2017	
NGA-WE-20B	NGA-WE-20B- Investigating Leak or Odor Complaints (Outside Investigation Only)	Required		36 months
20C	CT20C-Investigating Leak or Odor Complaints (Inside Investigation Only)		01/10/2017	
NGA-WE-20C	NGA-WE-20C- Investigating Leak or Odor Complaints (Inside Investigation Only)	Required		36 months
20D	CT20D-Leak Classification		01/10/2017	
NGA-WE-20D	NGA-WE-20D- Leak Classification	Required		36 months
21-CT	CT21-Line Locating and Mark Out (Connecticut)		01/01/2016	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-CT	NGA-WE-State Damage Prevention Regulations (Connecticut)	Required		36 months
21-MA	CT21-Line Locating and Mark Out (Massachusetts)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	Required		36 months
21-MD	CT21-Line Locating and Mark Out (Maryland)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-MD	NGA-WE-State Damage Prevention Regulations (Maryland)	Required		36 months
21-ME	CT21-Line Locating and Mark Out (Maine)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-ME	NGA-WE-State Damage Prevention Regulations (Maine)	Required		36 months
21-NH	CT21-Line Locating and Mark Out (New Hampshire)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months

Code	Task/Skill Name	Required	Start Date	Requalification Interval
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-NH	NGA-WE-State Damage Prevention Regulations (New Hampshire)	Required		36 months
21-NJ	CT21-Line Locating and Mark Out (New Jersey)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-NJ	NGA-WE-State Damage Prevention Regulations (New Jersey)	Required		36 months
21-NY	CT21-Line Locating and Mark Out (New York)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-NY	NGA-WE-State Damage Prevention Regulations (New York)	Required		36 months
21-PA	CT21-Line Locating and Mark Out (Pennsylvania)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-PA	NGA-WE-State Damage Prevention Regulations (Pennsylvania)	Required		36 months
21-RI	CT21-Line Locating and Mark Out (Rhode Island)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-RI	NGA-WE-State Damage Prevention Regulations (Rhode Island)	Required		36 months
21-VT	CT21-Line Locating and Mark Out (Vermont)		01/23/2017	
NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	Required		36 months
NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	Required		36 months
NGA-WE-VT	NGA-WE-State Damage Prevention Regulations (Vermont)	Required		36 months
22A	CT22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis		05/14/2018	
NGA-WE-22A	NGA-WE-22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	Required		36 months
22B	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention		05/14/2018	
NGA-WE-22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	Required		36 months
23/24	CT23 & 24 Inspecting the Condition of Exposed Pipe		01/23/2017	
NGA-WE-23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe	Required		36 months
25	CT25-Repairing a Transmission Pipe		01/23/2017	
NGA-WE-25	NGA-WE-25-Repairing a Transmission Pipe	Required		36 months
26/27	CT26 & 27-Inspecting, Lubricating, Repairing and Operating Transmission Valves		01/23/2017	
NGA-WE-26/27	NGA-WE-26 & 27-Inspecting, Lubricating, Repairing and Operating Transmission Valves	Required		36 months
28	CT28-Uprating		01/23/2017	
NGA-WE-28	NGA-WE-28-Uprating	Required		36 months
29A/30A	CT29A & 30A-Repairing a Plastic, Steel and Cast Iron Distribution Pipe		01/23/2017	
NGA-WE-29A/30A	NGA-WE-29A & 30A-Repairing a Plastic, Steel and Cast Iron Distribution Pipe	Required		36 months
29B/30B	CT29B & 30B-Repairing a Plastic Distribution Pipe		01/23/2017	
NGA-WE-29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	Required		36 months
29C/30C	CT29C & 30C-Repairing a Steel Distribution Pipe		01/23/2017	

Code	Task/Skill Name	Required	Start Date	Requalification Interval
NGA-WE-29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	Required		36 months
29D/30D	CT29D & 30D-Repairing Cast Iron Distribution Pipe, Including Using Anaerobic Sealing		01/23/2017	
NGA-WE-29D/30D	NGA-WE-29D & 30D-Repairing Cast Iron Distribution Pipe, Including Using Anaerobic Sealing	Required		36 months
29E/30E	CT29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing		01/23/2017	
NGA-WE-29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Required		36 months
31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge		10/16/2015	
NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Required		36 months
31B	CT31B-Installation of Pipe: Install Pipe in a Ditch		10/16/2015	
NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Required		36 months
NGA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	Required		36 months
31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling		10/16/2015	
NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Required		36 months
NGA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	Required		36 months
31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)		10/16/2015	
NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Required		36 months
NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	Required		36 months
31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion		10/16/2015	
NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Required		36 months
NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	Required		36 months
31F	CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow		10/16/2015	
NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Required		36 months
NGA-WE-CT31F	NGA-WE-CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow	Required		36 months
32	CT32-Purging a pipeline into service		10/16/2015	
NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	Required		36 months
33	CT33-Purging a pipeline out of service		10/16/2015	
NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	Required		36 months
34	CT34-Performing pressure test on a pipeline		10/16/2015	
NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	Required		36 months
35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)		05/14/2018	
NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	Required		36 months
NGA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	Required		36 months
35.1C	CT35.1C-Stopping Gas Flow (Services Only)		05/14/2018	

Code	Task/Skill Name	Required	Start Date	Requalification Interval
NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	Required		36 months
NGA-WE-35.1C	NGA-WE-35.1C- Stopping Gas Flow (Squeeze-Off - Services Only)	Required		36 months
35.2	CT35.2-Stopping Gas Flow (Bagging)		05/14/2018	
NGA-PE-35.2	NGA-PE-35.2 Bagging	Required		36 months
NGA-WE-35.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	Required		36 months
35.3	CT35.3-Stopping Gas Flow (Mechanical)		05/14/2018	
NGA-PE-35.3	NGA-PE-35.3 Mechanical	Required		36 months
NGA-WE-35.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	Required		36 months
36/47	CT36 & 47-Abandonment of Facilities		01/23/2017	
NGA-WE-36/47	NGA-WE-36 & 47-Abandonment of Facilities	Required		36 months
37A	CT37A - Tapping Plastic Pipe with Specialized Equipment		01/23/2017	
NGA-PE-37A.1	NGA-PE-37A.1-Tapping Plastic Pipe with Specialized Equipment	Required		36 months
NGA-WE-37A	NGA-WE-37A-Tapping Plastic Pipe with Specialized Equipment	Required		36 months
37B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment		01/23/2017	
NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	Required		36 months
NGA-WE-37B	NGA-WE-37B-Tapping Cast Iron Pipe with Specialized Equipment	Required		36 months
37C	CT37C-Tapping Steel Pipe with Specialized Equipment		01/23/2017	
NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	Required		36 months
NGA-WE-37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	Required		36 months
38A	CT38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure		01/23/2017	
NGA-WE-38A	NGA-WE-38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure	Required		36 months
38B	CT38B-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves		01/23/2017	
NGA-WE-38B	NGA-WE-38B-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves	Required		36 months
39A	CT39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe		01/23/2017	
NGA-WE-39A	NGA-WE-39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe	Required		36 months
39B	CT39B-Removing Service Tee or Fitting from Steel Pipe		01/23/2017	
NGA-WE-39B	NGA-WE-39B-Removing Service Tee or Fitting from Steel Pipe	Required		36 months
40	CT40-Install/Replace tracer wire		01/23/2017	
NGA-WE-40	NGA-WE-40-Install/Replace Tracer Wire	Required		36 months
41/42	CT41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves		01/23/2017	
NGA-WE-41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Required		36 months
44/54	CT44 & 54-Welding on a Pipeline		01/23/2017	

Code	Task/Skill Name	Required	Start Date	Requalification Interval
NGA-WE-44/54	NGA-WE-44 & 54-Welding on a Pipeline	Required		36 months
45	CT45-Restore Service		01/23/2017	
NGA-WE-45	NGA-WE-45-Restore Service	Required		36 months
49.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)		01/10/2017	
NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	Required		36 months
49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)		01/10/2017	
NGA-PE-49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	Required		36 months
NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	Required		36 months
50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	Required		36 months
PJQ-04	NGA-PE-CT50-Saddle Electrofusion (PJQ-04)	Required		12 months
50/51/52F	CT50/51/52-Joining Plastic Pipe-Saddle Fusion		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(F)	NGA-WE-(F)-Saddle Fusion - 14670	Required		36 months
PJQ-03	NGA-PE-CT50-Saddle Fusion (PJQ-03)	Required		12 months
50/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	Required		36 months
PJQ-06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	Required		12 months
50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	Required		36 months
PJQ-05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	Required		12 months
50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion PJQ-11		02/06/2020	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(D)	NGA-WE-(D)-Hydraulic Butt Fusion - 14668	Required		36 months
NGA-WE-(E)	NGA-WE-(E)-Butt Fusion - 14669	Required		36 months
PJQ-11	NGA-PE-CT50-Hydraulic Fusion (PJQ-11)	Required		12 months
50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(E)	NGA-WE-(E)-Butt Fusion - 14669	Required		36 months
PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	Required		12 months
50/52G	CT50/52-Joining Plastic Pipe-Socket Fusion		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(G)	NGA-WE-(G)-Socket Fusion - 14671	Required		36 months
PJQ-02	NGA-PE-CT50-Socket Fusion (PJQ-02)	Required		12 months
50B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	Required		36 months
PJQ-07	NGA-PE-CT50-Stab Fitting (PJQ-07)	Required		12 months

Code	Task/Skill Name	Required	Start Date	Requalification Interval
50B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	Required		36 months
PJQ-08	NGA-PE-CT50-Compression Fitting (PJQ-08)	Required		12 months
50B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings		02/05/2017	
NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	Required		36 months
NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	Required		36 months
PJQ-09	NGA-PE-CT50-Nut Follower (Threaded Fitting) (PJQ-09)	Required		12 months
51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees		01/23/2017	
NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	Required		36 months
NGA-WE-51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	Required		36 months
51E	CT51E-Tapping Using Plastic Self Tapping Tees		01/23/2017	
NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	Required		36 months
NGA-WE-51E	NGA-WE-51E-Tapping Using Plastic Self Tapping Tees	Required		36 months
51F	CT51F-Tapping Using Steel Self Tapping Tees		01/23/2017	
NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	Required		36 months
NGA-WE-51F	NGA-WE-51F-Tapping Using Steel Self Tapping Tees	Required		36 months
52H.B 1YR	CT52H.B-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Butt Fusion - 1 Year)		06/01/2019	
NGA-WE-52H.B 1YR	NGA-WE-52H.B-Inspect Plastic Pipe Fusion Joint-Butt Fusion (Field inspector Only - 1 Year)	Required		12 months
52H.B 3YR	CT52H.B-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Butt Fusion - 3 Year)		06/01/2019	
NGA-WE-52H.B 3YR	NGA-WE-52H.B-Inspect Plastic Pipe Fusion Joint-Butt Fusion (Field inspector Only - 3 Year)	Required		36 months
52H.D 1YR	CT52H.D-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Saddle Fusion - 1 Year)		06/01/2019	
NGA-WE-52H.D 1YR	NGA-WE-52H.D-Inspect Plastic Pipe Fusion Joint-Saddle Fusion (Field inspector Only - 1 Year)	Required		12 months
52H.D 3YR	CT52H.D-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Saddle Fusion - 3 Year)		06/01/2019	
NGA-WE-52H.D 3YR	NGA-WE-52H.D-Inspect Plastic Pipe Fusion Joint-Saddle Fusion (Field inspector Only - 3 Year)	Required		36 months
52H.E 1YR	CT52H.E-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Electrofusion - 1 Year)		06/01/2019	
NGA-WE-52H.E 1YR	NGA-WE-52H.E-Inspect Plastic Pipe Fusion Joint-Electrofusion (Field inspector Only - 1 Year)	Required		12 months
52H.E 3YR	CT52H.E-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Electrofusion - 3 Year)		06/01/2019	
NGA-WE-52H.E 3YR	NGA-WE-52H.E-Inspect Plastic Pipe Fusion Joint-Electrofusion (Field inspector Only - 3 Year)	Required		36 months
52H.F 1YR	CT52H.F-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Socket Fusion - 1 Year)		06/01/2019	
NGA-WE-52H.F 1YR	NGA-WE-52H.F-Inspect Plastic Pipe Fusion Joint-Socket Fusion (Field inspector Only - 1 Year)	Required		12 months
52H.F 3YR	CT52H.F-Inspect Plastic Pipe Fusion Joint (Visual Inspection Only-Socket Fusion - 3 Year)		06/01/2019	

Code	Task/Skill Name	Required	Start Date	Requalification Interval
NGA-WE-52H.F 3YR	NGA-WE-52H.F-Inspect Plastic Pipe Fusion Joint-Socket Fusion (Field inspector Only - 3 Year)	Required		36 months
52H.V	CT52H.V-Vintage Pipe		01/01/1970	
NGA-WE-52H.V	NGA-WE-52H.V-Vintage Pipe	Required		12 months
55.1	CT55.1 Maintain a Pipeline Compressor Station		01/10/2017	
NGA-PE-CT55.1	NGA-PE-CT55.1-Maintain a Pipeline Compressor Station - 14410	Required		36 months
55.2	CT55.2 Maintain a Pipeline Compressor Station (ESD Only)		01/10/2017	
NGA-PE-CT55.2	NGA-PE-CT55.2-Maintain a Pipeline Compressor Station (ESD Only)	Required		36 months
56	CT56-Operate a Pipeline Compressor Station		01/01/1970	
NGA-PE-CT56	NGA-PE-CT56-Operate a Pipeline Compressor Station - 14411	Required		36 months
57	CT57-Repair a Compressor		01/01/1970	
NGA-PE-CT57	NGA-PE-CT57-Repair a Compressor - 14426	Required		36 months
58	CT58-Maintaining gas detection systems and alarms in compressor stations		01/01/1970	
NGA-PE-CT58	NGA-PE-CT58-Maintain Gas Detection Systems and Alarms in Compressor Stations - 14412	Required		36 months
59/60	CT59 & 60-Controlling and Monitoring Gas Pressures and Flows		01/23/2017	
NGA-WE-59/60	NGA-WE-59 & 60-Controlling and Monitoring Gas Pressures and Flows	Required		36 months
61	CT61-Inspecting a Pressure Recording Gauge		05/11/2017	
NGA-WE-61	NGA-WE-61-Inspecting a Pressure Recording Gauge	Required		36 months
62A/63A/65A	CT62A, 63A & 65A- Inspect and Test Pressure Regulation Station, Including Heating Equipment		01/23/2017	
NGA-PE-62.1/63.1/65.1	NGA-PE-62.1, 63.1 & 65.1-Inspect and Test Pressure Regulator Station	Required		36 months
NGA-WE-62A/63A/65A	NGA-WE-62A, 63A & 65A- Inspect and Test Pressure Regulation Station, Including Heating Equipment	Required		36 months
62B/63B/65B	CT62B, 63B & 65B- Inspect and Test Pressure Regulation Station, Not Including Heating Equipment		01/23/2017	
NGA-PE-62.1/63.1/65.1	NGA-PE-62.1, 63.1 & 65.1-Inspect and Test Pressure Regulator Station	Required		36 months
NGA-WE-62B/63B/65B	NGA-WE-62B, 63B & 65B- Inspect and Test Pressure Regulation Station, Not Including Heating Equipment	Required		36 months
64	CT64-Inspecting Telemetry Equipment at a Pressure Limiting or Regulating Station		01/23/2017	
NGA-WE-64	NGA-WE-64-Inspecting Telemetry Equipment	Required		36 months
66A	CT66A-Field Interpretation of Pressure Recording Charts and Electronic Devices		01/23/2017	
NGA-WE-66A	NGA-WE-66A-Field Interpretation of Pressure Recording Charts and Electronic Devices	Required		36 months
66B	CT66B-Field Interpretation of Pressure Recording Charts		01/23/2017	
NGA-WE-66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts	Required		36 months
66C	CT66C-Field Interpretation of Pressure Recording Electronic Devices		01/23/2017	
NGA-WE-66C	NGA-WE-66C-Field Interpretation of Pressure Recording Electronic Devices	Required		36 months
67	CT67-Inspecting a Pressure Regulator Vault		01/23/2017	
NGA-WE-67	NGA-WE-67-Inspecting a Pressure Regulator Vault	Required		36 months

Code	Task/Skill Name	Required	Start Date	Requalification Interval
68	CT68-Operating an Odorizer		01/23/2017	
NGA-WE-68	NGA-WE-68-Operating an Odorizer	Required		36 months
69	CT69-Monitor Natural Gas Odorization Levels		01/23/2017	
NGA-WE-69	NGA-WE-69-Monitor Natural Gas Odorization Levels	Required		36 months
70	CT70-Properties of Natural Gas and Abnormal Operating Conditions		01/23/2017	
NGA-WE-70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	Required		36 months
70P	CT70P-Properties of Propane Air and Abnormal Operating Conditions		01/01/1970	
NGA-WE-CT70P	NGA-WE-CT70P-Properties of Propane Air and Abnormal Operating Conditions - 13867	Required		36 months
71	CT71-Excavation & Backfill		05/14/2018	
NGA-WE-71	NGA-WE-71-Excavation & Backfill	Required		36 months
72A	CT72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators		01/23/2017	
NGA-WE-72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Required		36 months
72B	CT72B-Installing and Turning Off Residential and Small Commercial Meters and Regulators		01/23/2017	
NGA-WE-72B	NGA-WE-72B-Installing and Turning Off Residential and Small Commercial Meters and Regulators	Required		36 months
72C	CT72C-Turning Off Meters Only		01/23/2017	
NGA-WE-72C	NGA-WE-72C-Turning Off Meters Only	Required		36 months
73	CT73-Inspecting and maintaining air compressors at LP-Air plants		01/01/1970	
NGA-PE-CT73	NGA-PE-CT73-Inspecting and Maintaining Air Compressors at LP-Air Plants - 14414	Required		36 months
74	CT74-Inspecting and Maintaining Instrument Air Dryers at LP-Air Plants		01/01/1970	
NGA-PE-CT74	NGA-PE-CT74-Inspecting and Maintaining Instrument Air Dryers at LP-Air Plants - 14415	Required		36 months
75	CT75-Inspecting and Maintaining Emergency Shutoff Systems at LP- Air Plants		01/01/1970	
NGA-PE-CT75	NGA-PE-CT75-Inspecting and Maintaining Emergency Shutoff Systems at LP-Air Plants - 14416	Required		36 months
76	CT76-Maintaining Fire Protection Systems at LP-Air Plants		01/01/1970	
NGA-PE-CT76	NGA-PE-CT76-Maintaining Fire Protection Systems at LP-Air Plants - 14417	Required		36 months
77	CT77-Inspecting and maintaining storage tanks, piping, valves and fittings at LP-Air plants		01/01/1970	
NGA-PE-CT77	NGA-PE-CT77-Inspecting and Maintaining Storage Tanks, Piping, Valves and Fittings at LP-Air Plants - 14418	Required		36 months
78	CT78-Inspecting and Maintaining Vapor Compressors at LP-Air Plants		01/01/1970	
NGA-PE-CT78	NGA-PE-CT78-Inspecting and Maintaining Vapor Compressors at LP-Air Plants - 14419	Required		36 months
79	CT79-Inspecting, Operating, and Maintaining Vapor Detection Systems at LP-Air Plants		01/01/1970	
NGA-PE-CT79	NGA-PE-CT79-Inspecting, Operating and Maintaining Vapor Detection Systems at LP-Air Plants - 14420	Required		36 months

Code	Task/Skill Name	Required	Start Date	Requalification Interval
80	CT80-Inspecting and Maintaining Propane Vaporizers at LP-Air Plants		01/01/1970	
NGA-PE-CT80	NGA-PE-CT80-Inspecting and Maintaining Propane Vaporizers at LP-Air Plants - 14421	Required		36 months
81	CT81-Load, Unload and Transfer Liquid Propane at LP-Air Plants		01/01/1970	
NGA-PE-CT81	NGA-PE-CT81-Load, Unload and Transfer Liquid Propane at LP-Air Plants - 14422	Required		36 months
82	CT82-Inspecting and Maintaining Auxiliary Power Sources at LP-Air Plants		01/01/1970	
NGA-PE-CT82	NGA-PE-CT82-Inspecting and Maintaining Auxillary Power Sources at LP-Air Plants - 14423	Required		36 months
83	CT83-Operating a Propane Air Plant		01/01/1970	
NGA-PE-CT83	NGA-PE-CT83-Operating a Propane Air Plant - 14424	Required		36 months
84	CT84-Bending Steel Pipe		01/23/2017	
NGA-WE-84	NGA-WE-84-Bending Steel Pipe	Required		36 months
85	CT85-Meter Assembly Abnormal Operating Conditions		08/27/2015	
NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	Required		36 months
86	CT86 – Interior Jurisdictional Piping Safety Inspections		01/01/1970	
NGA-PE- 86	NGA-PE-86- Interior Jurisdictional Piping Safety Inspections	Required		36 months
NGA-WE-86	NGA-WE-86-Interior Jurisdictional Piping Safety Inspections	Required		36 months
NGA-WE-86/87	NGA-WE-86/87-Jurisdictional Piping: General Knowledge	Required		36 months
86-PV	CT86 – Interior Jurisdictional Piping Safety Inspections - (Plumbers Version)		07/12/2018	
NGA-PE-86-PV	NGA-PE-86-Interior Jurisdictional Piping Safety Inspections - (Plumbers Version)	Required		36 months
NGA-WE-86-PV	NGA-WE-86-Interior Jurisdictional Piping Safety Inspections - (Plumbers Version)	Required		36 months
NGA-WE-86/87-PV	NGA-WE-86/87-Jurisdictional Piping: General Knowledge - (Plumbers Version)	Required		36 months
87-PV	CT87 – Interior Jurisdictional Piping Construction and Maintenance Activities - (Plumbers Version)		07/12/2018	
NGA-WE-86/87-PV	NGA-WE-86/87-Jurisdictional Piping: General Knowledge - (Plumbers Version)	Required		36 months
NGA-WE-87-PV	NGA-WE-87-Interior Jurisdictional Piping Construction and Maintenance Activities - (Plumbers Version)	Required		36 months
PJQ10	CT-Soil Compaction		01/01/1970	
NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	Required		36 months
TSK-20693298	NGA Example Exam		01/06/2015	
VGOA	Proctoring Presentation Exam		01/01/1970	
VGOAWE	VGOA Proctoring Exam - 18592	Required		600 months